



Power [kW]	Duty Cycle	Base speed [rpm]	Base freq. [Hz]	Base voltage Δ [V]	Base voltage Y [V]	Protection	Ins. Cl.
2.2	S1	6000	100	220	380	IP54	F
Min speed [rpm]		Max speed [rpm]	Max freq. [Hz]	Absorb. Δ [A]	Absorb. Y [A]	Part number on nameplate	
6000		12000	200	9.9	5.7	COM51600324	
Balancing according to ISO 1940 - G2.5 @ 12000 rpm		Balancing type		tool type full key	tool type half key	Peso / weight	
						14.65 kg	
Tolleranze non quotate / unlisted tollerances: ±0.5mm Smussi non quotati / unlisted chamfers: ±0.5mm				$\nabla = 0.8 \nabla$	$\nabla = 3.2 \nabla$	$\nabla = 12.5 \nabla$	$\sim = \nabla$
rev. n°	description			date	signature	Customer	
00	Emissione			27/10/2015	D. Bottarel	Catalogo	
drawing code						Drawing n°	
COM51600324						3004	
drawn - date	approved - date	checked - date	sostituisce il		foglio / sheet	scala	
D. Bottarel - 27/10/2015	S. Perli - 27/10/2015	S. Perli - 27/10/2015	sostituito dal		1 / 1	n.d.	



Teknomotor S.r.l.
Via Argeneva 31, I-32038 Quero Vas (BL)
www.teknomotor.com

Title
5160-D-DB-P-ER32-RH

